

# INFORMATION DISPLAY

VISIBLE  
& SECURE  
PRESENTATION



## WEAR RESISTANT

Integrated hinge resists wear and warping



## LOCKABLE

Exclusive tamper-proof safety lock with hidden latch



## FULL DISPLAY

100% of display surface is visible (lock is on the door, not on the glazing)



## STRENGTH

Exclusive heavy-duty profiles and 4 mm impact-proof glazing or safety glass



## PRACTICAL

Doors can be replaced quickly and without tools in case of major vandalism



## ADAPTABLE

Door can be reversed without tools (right-opening on delivery)



## WATERPROOF

Waterproof seal and anti-condensation vents





# contents



## OUTDOOR DISPLAY

Tradition, Classic, Edge notice boards.....	90
1000, 2000 notice boards.....	96
Province poster display cases and signage .....	100
Dome top poster display case, Park notice board.....	102
Children's collection .....	103



## SIGNAGE SUPPORTS

Town & village entrance signs. .	103
----------------------------------	-----



## INDOOR DISPLAY

Allure, Classic .....	104
Eco 100, Snap frames .....	106
Display stands .....	107



## TRADITION NOTICE BOARDS DEPTH 30 MM

This slim, compact and elegant notice board provides lasting protection for documents displayed outdoors.

### Technical characteristics - notice board

**Display:** single sided.

**Display area:** from 2 to 18 A4.

**Glazing:** 4 mm Plexichoc®.

**Opening system:** side opening reversible or double side opening dual door.

**Closure:** tamper-proof safety lock with 2 keys. The dual door versions are also available locking on one side and a non-locking latch on the other for public access.

**Waterproofing:** elastomer seal.

**Interior finish:** galvanised steel sheet lacquered in white on interior back panel, light grey on the exterior back panel.

**Frame finish:** silver anodised aluminium, or painted in our notice board colour range (see page 10).

**Installation:** to wall or on posts.

**Version with "INFORMATION" header inside:** adhesive header strip, H60 mm (for notice boards 4 A4) or H100 mm, factory fitted.

**Procity® magnets:** included (1 per A4).

### Post mounting options

**Post kit:** Two 60 x 40 mm aluminium posts either silver anodised or painted, delivered with 4 brushed stainless steel attachment brackets. Installation by concreted directly into ground or on base plates.

**Additional post:** One 60 x 40 mm post delivered with 2 brushed stainless steel central attachment brackets to connect multiple display cases. Concreted directly into ground only.

### Header panel options

**Header panel:** 2 mm steel sheet.

**2 shapes:** Dome or Rectangle.

**Installation:** bolts or screws not included. Attached to a wall using pre-drilled mounting holes or on posts using bolts supplied with the post kit.

**Sign-writing:** not supplied.

### Other options

**LED lighting kit:** high efficiency white light typical brightness 120 Lumens per watt, LED IP20, transformers IP67, life expectancy 75000 hours, energy efficiency of 12.5 watts per linear metre. (Warning: LED ribbons & transformer are not factory fitted and require installation by a qualified electrician to comply with applicable safety regulations).



■ Code 505002



■ Code 405075 + 409035\*



■ Code 405003 + 416356 + 416460



Code 405061



Code 585075



Code 505000 + 509100



### Notice board with single side opening door



2 A4



4 A4



6 A4



8 A4



9 A4

#### No internal header

External dimensions	H 400 x W 550 mm	H 750 x W 550 mm	H 750 x W 750 mm	H 830 x W 980 mm	H 1050 x W 750 mm
Window size	H 303 x W 453 mm	H 653 x W 453 mm	H 653 x W 653 mm	H 733 x W 883 mm	H 953 x W 653 mm
Anodised	505000	505001	505002	505060	505003
Painted	405000	405001	405002	405060	405003

#### With internal header "INFORMATION"

External dimensions	-	H 750 x W 550 mm	H 800 x W 750 mm	H 830 x W 980 mm	H 1100 x W 750 mm
Window size	-	H 593 x W 453 mm	H 603 x W 653 mm	H 633 x W 883 mm	H 903 x W 653 mm
Anodised	-	505061	505062	505063	505064
Painted	-	405061	405062	405063	405064
Optional LED kit	509100	509100	509101	509117	509101

### Dual door notice board



8 A4

H 750 x W 1200 mm  
2 x H 653 x W 516 mm



18 A4

H 1050 x W 1400 mm  
2 x H 953 x W 616 mm

External dimensions  
Window size

#### 2 lockable doors with key

Anodised	505075	505076
Painted	405075	405076

#### 1 lock on the left door and a non-locking latch on the right door NEW

Anodised	585075	585076
Painted	485075	485076

Optional LED kit	509120	509121
------------------	--------	--------



Slim styling  
for a light,  
compact look.

### 60 x 40 mm Post kits

Anodised Painted

#### For single door

Kit of two posts on base plates (H 2200 mm)	516357	416357
Kit of two posts concreted fix (H 2600 mm)	516356	416356
Additional post, concreted fix (H 2600 mm)	516460	416460

#### For dual door

Kit of two posts concreted fix (H 2600 mm)	516358	416358
--	--------	--------

### Header panel



Dome



Rectangle

#### Notice board width

550 mm	409000	409030
750 mm	409001	409031
980 mm	409003	409033
1200 mm	409005	409035
1400 mm	409007	409037

Note: for safety reasons, header panels cannot be installed on notice boards with posts on base plates or with additional posts.



■ Dome header panel\*



■ Rectangle header panel\*

\*Sign-writing: not supplied.



## CLASSIC NOTICE BOARD DEPTH 58 MM

Discrete, subtle and effective, this is the ideal notice board for displaying information outside public buildings, churches, culture sites and corporate offices.

### Technical characteristics - notice board

**Display:** single sided.

**Display area:** from 4 to 21 A4.

**Glazing:** 4 mm Plexichoc® or safety glass.

**Opening system:** reversible side opening door or raising door mounted on gas struts.

**Closure:** tamper-proof safety lock with 2 keys. 2 locks on 1350 mm high side opening door model and all raising door models.

**Waterproofing:** elastomer seal.

**Interior finish:** galvanised steel sheet lacquered in white on interior back panel, light grey on the exterior back panel.

**Frame finish:** silver anodised aluminium, or painted in our notice board colour range (see page 10).

**Installation:** to wall or on posts.

**Procity® magnets:** included (1 per A4, limit of 20 per display case).

### Post mounting options

**Post kit:** Two 60 x 40 mm aluminium posts either silver anodised or painted, delivered with 4 brushed stainless steel attachment brackets. Installation by concreting directly into ground or on base plates.

**Additional post:** One 60 x 40 mm post delivered with 2 brushed stainless steel central attachment bracket to connect multiple display cases. Concreted directly into ground only.

### Header panel options

**Header panel:** 2 mm steel sheet.

**2 shapes:** Dome or Rectangle.

**Installation:** bolts or screws not included. Attached to a wall using pre-drilled mounting holes or on posts using bolts supplied with the post kit.

**Sign-writing:** not supplied.

### Other options

**LED lighting kit:** high efficiency white light typical brightness 120 Lumens per watt, LED IP20, transformers IP67, life expectancy 75000 hours, energy efficiency of 12.5 watts per linear metre. (Warning: LED ribbons & transformer are not factory fitted and require installation by a qualified electrician to comply with applicable safety regulations).

For non-standard sizes and colours please contact us.



■ Code 406002



■ Code 506004 + 516470 + 516358



■ Code 406081 + 416358 + 409036\*



Code 406080 + 509117



Code 506002

### Single door notice board



**4 A4**

H 750 x W 550 mm

H 653 x W 453 mm

Side opening



**6 A4**

H 750 x W 750 mm

H 653 x W 653 mm

Side opening



**8 A4**

H 830 x W 980 mm

H 733 x W 883 mm

Side opening



**9 A4**

H 1050 x W 750 mm

H 953 x W 653 mm

Side opening

Outside dimensions

Window size

Door type

#### Plexichoc® glazing

Anodised	506000	506001	506080	506002
Painted	406000	406001	406080	406002

#### Safety glass glazing

Anodised	506350	506351	506480	506352
Painted	406350	406351	406480	406352

Optional LED kit	509115	509116	509117	509116
------------------	--------	--------	--------	--------

### Side opening door or raising door



**12 A4**

H 1350 x W 750 mm

H 1253 x W 653 mm

Side opening




**16 A4**

H 1350 x W 1000 mm

H 1253 x W 903 mm

Side opening




**18 A4**

H 1080 x W 1330 mm

H 983 x W 1233 mm

Raising



**21 A4**

H 1130 x W 1600 mm

H 1033 x W 1503 mm

Raising

Outside dimensions

Window size

Door type

#### Plexichoc® glazing

Anodised	506003	506004	506081	506082
Painted	406003	406004	406081	406082

#### Plexichoc® glazing

Anodised	506353	506354	506481	506482
Painted	406353	406354	406481	406482

Optional LED kit	509123	509102	509136	509106
------------------	--------	--------	--------	--------

### 60 x 40 mm post kits

Anodised

Painted

#### Side opening notice board (up to 9 A4)

Kit of two posts on base plates (H 2200 mm)	516357	416357
Kit of two posts for concrete fix (H 2600 mm)	516356	416356
Additional post, concreted fix (H 2600 mm)	516470	416470

#### Side opening door or raising door (12 A4 and up)

Kit of two posts for concrete fix (H 2600 mm)	516358	416358
Additional post, directly concreted (H 2600 mm)*	516470	416470

\*Only for notice board H1350 mm without header panel.

### Header panel



Dome



Rectangle

#### Notice board width

550 mm	409000	409030
750 mm	409001	409031
980 mm	409003	409033
1000 mm	409004	409034
1330 mm	409006	409036
1600 mm	409008	409038

Note: for safety reasons, header panels cannot be installed on notice boards with posts on base plates or with additional posts.

\*Sign-writing: not supplied.



■ Dome header panel\*



■ Rectangle header panel\*

## EDGE NOTICE BOARDS DEPTH 58 & 80 MM

**NEW**

These contemporary premium quality notice boards offer excellent presentation thanks to its security glass glazing with a screen-printed black frame and its ultra-thin aluminium.

### Technical characteristics - notice board

**Format:** single sided.

**EDGE 54 mm :**

- display size: 2A4 to 9A4,
- door: side opening door.

**EDGE 80 mm :**

- display size: 12A4 to 28A4,
- door: raising opening door on gas struts.

**Glazing material:** 4 mm security glass.

**Opening method:** raising door on gas struts.

**Locking:** tamperproof safety locks, with 2 keys. Wear resistant, warp proof integrated hidden hinge.

**Waterproofing:** elastomer seal.

**Interior finish:** galvanised steel sheet lacquered in white on interior back panel, light grey on the exterior back panel.

**Frame finish:** screen-printed black frame directly on to the glass.

**Installation:** wall-mounted or on 60 x 40 mm posts.

**Version with "INFORMATION" header inside:** adhesive header strip, H60 mm (for notice boards 2 A4 and 4 A4) or H100 mm, factory fitted.

**Procity® magnets:** included (1 per A4, limit of 20 per display case).

### Other options

**LED lighting kit:** high efficiency white light typical brightness 120 Lumens per watt, LED IP20, transformers IP67, life expectancy 75000 hours, energy efficiency of 12.5 watts per linear metre. (Warning: LED ribbons & transformer are not factory fitted and require installation by a qualified electrician to comply with applicable safety regulations).



■ Code 500104



■ Code 500303



■ Code 501301








Code 500114



Code 501313

**Side-opening door  
notice board  
Depth 54 mm**

					
Outside dimensions	2 A4 H 465 x W 530 mm	4 A4 H 760 x W 530 mm	6 A4 H 800 x W 740 mm	8 A4 H 800 x W 950 mm	9 A4 H 1100 x W 740 mm
Door type	Side opening	Side opening	Side opening	Side opening	Side opening





**Without internal header "INFORMATION"**

Window size	H 361 x W 426 mm	H 656 x W 426 mm	H 696 x W 636 mm	H 696 x W 846 mm	H 996 x W 636 mm
Wall mounted version	500100	500101	500102	500103	500104
Post mounted version	500300	500301	500302	500303	500304

**With internal header "INFORMATION"**

Window size	H 301 x W 426 mm	H 596 x W 426 mm	H 596 x W 636 mm	H 596 x W 846 mm	H 896 x W 636 mm
Wall mounted version	500110	500111	500112	500113	500114
Post mounted version	500310	500311	500312	500313	500314
Optional LED kit	509100	509100	509101	509135	509101

**Raising door  
notice board  
Depth 80 mm**

				
Outside dimensions	12 A4 H 1420 x W 760 mm	16 A4 H 1420 x W 970 mm	21 A4 H 1120 x W 1600 mm	28 A4 H 1420 x W 1600 mm
Door type	Raising	Raising	Raising	Raising

**Without internal header "INFORMATION"**

Window size	H 1296 x W 636 mm	H 1296 x W 846 mm	H 996 x W 1476 mm	H 1296 x W 1476 mm
Wall mounted version	501100	501101	501102	501103
Post mounted version	501300	501301	501302	501303

**With internal header "INFORMATION"**

Window size	H 1196 x W 636 mm	H 1196 x W 846 mm	H 896 x W 1476 mm	H 1196 x W 1476 mm
Wall mounted version	501110	501111	501112	501113
Post mounted version	501310	501311	501312	501313
Optional LED kit	509123	509102	509106	509133

Access the  
product video



■ Code 500102



■ Code 501101



## "1000" NOTICE BOARD DEPTH 75 MM

A timeless and dignified notice board with a wide variety of available formats and accessories to support every possible combination.

### Technical characteristics - notice board

**Display:** single sided.

**Display area:** from 8 to 30 A4.

**Glazing:** 4 mm Plexichoc® or safety glass.

**Opening system:** side opening reversible door, dual door or raising door on gas struts.

**Closure:** tamper-proof safety lock with 2 keys. 2 locks on 1350 mm high side opening door model and all raising door models. The dual door versions are also available locking on one side and a non-locking latch on the other for public access, contact us.

**Waterproofing:** elastomer seal.

**Interior finish:** galvanised steel sheet lacquered in white on interior back panel, light grey on the exterior back panel.

**Frame finish:** silver anodised aluminium, or painted in our notice board colour range (see page 10).

**Installation:** to wall or on posts.

**Procity® magnets:** included (1 per A4, limit of 20 per display case).

### Post mounting options

**Round ø 76 mm post kit:** 2 round ø 76 mm posts in silver anodised aluminium or painted with black lacquered steel top. Delivered with 4 dove tailed cast aluminium clamps for easy and rapid assembly without drilling. Adjustable notice board height. Concreted directly into ground only.

**Quatro post kit:** 2 oblong posts with 80 x 125 mm cross section, in silver anodised aluminium or painted with black lacquered steel top. Delivered with 4 dove tailed cast aluminium clamps for easy and rapid assembly without drilling. Adjustable notice board height. Install by concreting directly into ground or on base plates (mounting brackets included).

**Additional Quatro post kit:** 1 oblong post 80 x 125 mm with 4 connectors. In case of substantial wind exposure, installation by concreting into ground is strongly recommended.

### Optional header board

**Frame:** 75 mm aluminium frame, right-angle corners.

**Surface:** galvanised steel sheet with white lacquer.

**Height:** 220 mm.

**Installation:** delivered with 2 clamps and bolts.

**Finish:** silver anodised aluminium, or painted in our notice board colour range (see page 10).

**Sign-writing:** not supplied.

### Other options

**LED lighting kit:** high efficiency white light typical brightness 120 Lumens per watt, LED IP20, transformers IP67, life expectancy 75000 hours, energy efficiency of 12.5 watts per linear metre. (Warning: LED ribbons & transformer are not factory fitted and require installation by a qualified electrician to comply with applicable safety regulations).

For non-standard sizes and colours please contact us.




■ Code 407081 + 407080 + 416404 + 416406 + 402912 + 402910



■ Code 407081



■ Code 507080



Code 407084 + 509117



Code 414021 + 402917 + 416411

### Notice board with raising door

Outside dimensions  
Window size  
Door type



**8 A4**  
H 750 x W 1000 mm  
H 651 x W 901 mm  
Raising



**18 A4**  
H 1000 x W 1350 mm  
H 889 x W 1239 mm  
Raising



**21 A4**  
H 1000 x W 1600 mm  
H 889 x W 1489 mm  
Raising



**27 A4**  
H 1000 x W 2010 mm  
H 889 x W 1899 mm  
Raising

#### Plexichoc® glazing

Anodised	507084	507081	507082	507083
Painted	407084	407081	407082	407083

#### Safety glass glazing

Anodised	507404	507401	507402	507403
Painted	407404	407401	407402	407403

Optional LED kit	509117	509136	509106	509109
------------------	--------	--------	--------	--------

**NEW**

The dual door versions also are available with only one lockable side allowing public access.

**PROCITY**

### Notice board with single side opening door or dual door

Outside dimensions  
Window size  
Door type



**9 A4**  
H 1000 x W 750 mm  
H 901 x W 651 mm  
Side opening



**12 A4**  
H 1350 x W 750 mm  
H 1251 x W 651 mm  
Side opening



**16 A4**  
H 1350 x W 1000 mm  
H 1251 x W 901 mm  
Side opening



**8 A4**  
H 750 x W 1200 mm  
2 x H 651 x W 514 mm  
Dual door



**24 A4**  
H 1050 x W 1800 mm  
2 x H 951 x W 814 mm  
Dual door



**30 A4**  
H 1050 x W 2250 mm  
2 x H 951 x W 1040 mm  
Dual door

#### Plexichoc® glazing

Anodised	507080	507002	507003	514020	514021	514022
Painted	407080	407002	407003	414020	414021	414022

#### Safety glass glazing

Anodised	507400	507352	507353	-	-	-
Painted	407400	407352	407353	-	-	-

Optional LED kit	509116	509123	509102	509103	509108	509110
------------------	--------	--------	--------	--------	--------	--------

### Round ø 76 mm posts

For cases up to H1050 mm

For notice boards greater than H1350 mm

	Post height	Anodised	Painted	Post height	Anodised	Painted
<b>Post kit without header board</b>						
Kit of two posts for concrete fix	2475 mm	516410	416410	2700 mm	516411	416411
<b>Post kit with header board</b>						
Kit of two posts for concrete fix	2700 mm	516411	416411	3000 mm	516413	416413

### Quatro post kits

For notice boards up to H1050 mm

For notice boards greater than H1350 mm

	Post height	Anodised	Painted	Post height	Anodised	Painted
<b>Post kit without header board</b>						
Kit of two posts on base plates	2058 mm	516401	416401	2208 mm	516405	416405
Additional post on base plates	2058 mm	516403	416403	2208 mm	516407	416407
Kit of two posts for concrete fix	2475 mm	516400	416400	2700 mm	516404	416404
Additional post, directly concreted	2475 mm	516402	416402	2700 mm	516406	416406
<b>Post kit with header board</b>						
Kit of two posts for concrete fix	2700 mm	516404	416404	3000 mm	516408	416408
Additional post, directly concreted	2700 mm	516406	416406	3000 mm	516409	416409

### Header board

Notice board width	Anodised	Painted
750 mm	502910	402910
1000 mm	502911	402911
1200 mm	502918	402918
1350 mm	502912	402912
1600 mm	502913	402913
1800 mm	502917	402917
2010 mm	502914	402914
2250 mm	502919	402919

## "2000" NOTICE BOARD DEPTH 75 MM

An imposing elegant notice board with a contemporary rounded corner design. Its multiple configuration options make it totally adaptable.

### Technical characteristics - notice board

**Display:** Single sided or double sided.

**Display area:** from 9 to 30 A4.

**Glazing:** 4 mm Plexichoc® or safety glass.

**Opening system:** reversible side opening door or raising door mounted on gas struts.

**Closure:** tamper-proof safety lock with 2 keys. 2 locks on 1350 mm high side opening door model and all raising door models.

**Waterproofing:** elastomer seal.

**Interior finish:** galvanised steel sheet lacquered in white on interior back panel, light grey on the exterior back panel.

**Frame finish:** silver anodised aluminium, or painted in our notice board colour range (see page 10).

**Installation:** to wall or on posts.

**Procity® magnets:** included (1 per A4, limit of 20 per display case).



■ Code 410071 + 410070 + 416404 + 416406 + 402900 + 402902

### Post mounting options

**Round ø 76 mm post kit:** 2 round ø 76 mm posts in silver anodised aluminium or painted with black lacquered steel top. Delivered with 4 dove tailed cast aluminium clamps for easy and rapid assembly without drilling. Adjustable notice board height. Concreted directly into ground only.

**Quatro post kit:** 2 oblong posts with 80 x 125 mm cross section, in silver anodised aluminium or painted with black lacquered steel top. Delivered with 4 dove tailed cast aluminium clamps for easy and rapid assembly without drilling. Adjustable notice board height. Installation: concreting directly into ground or on base plates (mounting brackets included).

**Additional Quatro post kit:** 1 oblong post 80 x 125 mm with 4 connectors. In case of substantial wind exposure, installation by concreting into ground is strongly recommended.



■ Code 412073 + 416411

■ Code 410070

### Optional header board

**Frame:** aluminium frame 75 mm deep, rounded corners.

**Surface:** galvanised steel sheet with white lacquer.

**Height:** 220 mm.

**Installation:** delivered with 2 clamps and bolts.

**Finish:** silver anodised aluminium, or painted in our notice board colour range (see page 10).

**Sign-writing:** not supplied.

### Other options

**LED lighting kit:** high efficiency white light typical brightness 120 Lumens per watt, LED IP20, transformers IP67, life expectancy 75000 hours, energy efficiency of 12.5 watts per linear metre. (Warning: LED ribbons & transformer are not factory fitted and require installation by a qualified electrician to comply with applicable safety regulations).

For non-standard sizes and colours please contact us.



**THE  
PRODUCTS**


**Double-sided version available.**  
**Elegant look with rounded die-cast aluminium corners.**

★ ★ ★  
**QUALITY**  
**[7]**



Quatro post

Round ø 76 mm post



Code 510074

### Single door notice board

Outside dimensions  
Window size  
Door type



**9 A4**  
H 1000 x W 750 mm  
H 901 x W 651 mm  
Side opening



**12 A4**  
H 1350 x W 750 mm  
H 1251 x W 651 mm  
Side opening



**16 A4**  
H 1350 x W 1000 mm  
H 1251 x W 901 mm  
Side opening

#### Plexichoc® glazing - single sided / double sided

Anodised	510070 / 512070	510002 / 512002	510003 / 512003
Painted	410070 / 412070	410002 / 412002	410003 / 412003

#### Safety glass glazing - single sided / double sided


Anodised	510420 / 511420	510352 / 512352	510353 / 512353
Painted	410420 / 411420	410352 / 412352	410353 / 412353

Optional LED kit - single sided*	509116	509123	509102
----------------------------------	--------	--------	--------


\*Double sided, contact us

### Raising door notice board

Outside dimensions  
Window size  
Door type



**18 A4**  
H 1000 x W 1350 mm  
H 889 x W 1239 mm  
Raising



**21 A4**  
H 1000 x W 1600 mm  
H 889 x W 1489 mm  
Raising



**27 A4**  
H 1000 x W 2010 mm  
H 889 x W 1899 mm  
Raising



**28 A4**  
H 1350 x W 1710 mm  
H 1239 x W 1599 mm  
Raising



**30 A4**  
H 1710 x W 1350 mm  
H 1599 x W 1239 mm  
Raising

#### Plexichoc® glazing - single sided / double sided

Anodised	510071 / 512071	510072 / 512072	510075 / 512075	510073 / 512073	510074 / 512074
Painted	410071 / 412071	410072 / 412072	410075 / 412075	410073 / 412073	410074 / 412074

#### Safety glass glazing - single sided / double sided

Anodised	510421 / 511421	510422 / 511422	510425 / 511425	510423 / 511423	510424 / 511424
Painted	410421 / 411421	410422 / 411422	410425 / 411425	410423 / 411423	410424 / 411424

Optional LED kit - single sided*	509136	509106	509109	509107	509104
----------------------------------	--------	--------	--------	--------	--------

\*Double sided, contact us

### Round ø 76 mm posts

#### For notice boards up to H1000 mm

Post height	Anodised	Painted
-------------	----------	---------

#### For greater than H1350 mm

Post height	Anodised	Painted
-------------	----------	---------

#### Post kit without header board

Kit of two posts for concrete fix	2475 mm	516410	416410	2700 mm	516411	416411
-----------------------------------	---------	--------	--------	---------	--------	--------

#### Post kit with header board

Kit of two posts for concrete fix	2700 mm	516411	416411	3000 mm	516413	416413
-----------------------------------	---------	--------	--------	---------	--------	--------

### Header board

Notice board width	Anodised	Painted
750 mm	502900	402900
1000 mm	502901	402901
1350 mm	502902	402902
1600 mm	502903	402903
1710 mm	502906	402906
2010 mm	502904	402904

### Quatro post kits

#### For notice boards up to H1000 mm

Post height	Anodised	Painted
-------------	----------	---------

#### For greater than H1350 mm

Post height	Anodised	Painted
-------------	----------	---------

#### Post kit without header board

Kit of two posts on base plates	2058 mm	516401	416401	2208 mm	516405	416405
Additional post on base plates	2058 mm	516403	416403	2208 mm	516407	416407
Kit of two posts for concrete fix	2475 mm	516400	416400	2700 mm	516404	416404
Additional post, directly concreted	2475 mm	516402	416402	2700 mm	516406	416406

#### Post kit with header board

Kit of two posts for concrete fix	2700 mm	516404	416404	3000 mm	516408	416408
Additional post, directly concreted	2700 mm	516406	416406	3000 mm	516409	416409



## PROVINCE COLLECTION

### POSTER DISPLAY CASE DEPTH 75 MM

Where street furniture and notice boards crossover. The Province poster display case is the perfect choice for communities to communicate with residents and remains coordinated with other items in the collection.

**Display:** Single sided or double sided.

**Display area:** from 12 to 24 A4.

**Glazing:** 4 mm Plexichoc® (safety glass for the H 1600 x 1200 mm display case).

**Frame:** 75 mm aluminium, rounded die-cast aluminium corners, back panel made of galvanised sheet steel lacquered white inside and light grey on the external back.

**Opening system:** side opening door (H 1200 x 800 mm model only) or raising door mounted on gas struts; tool-free replacement in case of major vandalism with no need to remove the display case. Integrated wear-resistant hinge, 2 safety locks with 2 keys and waterproof elastomer seal.

**Height above ground:** 2500 or 2700 mm with header board.

**Posts:** steel, Ø 76 mm.

**Choose from four top caps:** City, Agora, Sphere or brushed stainless steel.

**Attachments:** die-cast aluminium collars to allow for extensions and 90° configurations.

**Decorative base cover:** die-cast aluminium.

**Header board:** 75 mm thick. Attached to the posts with two collars. It increases post height by 200 mm. Sign-writing not supplied.

**Finish:** Single colour or two colours (collars, bases, display case corners, title strip corners and top caps in a different colour than the display case) see our standard colours (page 10).

**Installation:** concreted directly into ground.



## PROVINCE COLLECTION

### SIGNAGE SUPPORT

With its galvanised sheet metal panels, the Province signage support offers an excellent solution for general information signage and posters. Your distributor or local signage company will assist with all signage supplies and installation.

**Display:** double sided.

**Display area:** from 16 to 24 A4.

**Blank panels:** two galvanised sheet metal panels with expanded polystyrene between them.

**Frame:** 75 mm aluminium, rounded die-cast aluminium corners.

**Height above ground:** 2500 or 2700 mm with header board.

**Posts:** steel Ø 76 mm.

**Choose from four top caps:** City, Agora, Sphere or brushed stainless steel.

**Attachment:** die-cast aluminium collars to allow for extensions and 90° configurations.

**Decorative base cover:** die-cast aluminium.

**Blank header board:** 75 mm thick. Attached to the posts with two collars. It increases post height by 200 mm. Sign-writing not supplied.

**Finish:** single colour or two colours (collars, bases, panel corners and top caps in a different colour than the display case) see our standard colours (page 10).

**Installation:** concreted directly into ground.



## Poster display case



### 12 A4

Visible display area:  
H800 x W1200 mm

#### Raising door



City



Agora



Sphere



brushed  
stainless steel

#### No header board

Single sided	520100	520101	520102	520109
Double sided	580100	580101	580102	580109

#### With header board

Single sided	590010	590011	590012	590019
Double sided	590410	590411	590412	590419



### 24 A4

Visible display area:  
H1200 x W1600 mm

#### Raising door



City



Agora



Sphere



brushed  
stainless steel

#### No header board

Single sided	531100	531101	531102	531109
Double sided	550100	550101	550102	550109

#### With header board

Single sided	590210	590211	590212	590219
Double sided	590610	590611	590612	590619



### 12 A4

Visible display area:  
H1200 x W800 mm

#### Side opening door



City



Agora



Sphere



brushed  
stainless steel

#### No header board

Single sided	530100	530101	530102	530109
Double sided	540100	540101	540102	540109

#### With header board

Single sided	590110	590111	590112	590119
Double sided	590510	590511	590512	590519



### 24 A4

Visible display area:  
H1600 x W1200 mm

#### Raising door



City



Agora



Sphere



brushed  
stainless steel

#### No header board

Single sided	532100	532101	532102	532109
Double sided	560100	560101	560102	560109

#### With header board

Single sided	590310	590311	590312	590319
Double sided	590710	590711	590712	590719

## Signage support



### 16 A4

Display area:  
H870 x W1225 mm



City



Agora



Sphere



brushed  
stainless steel

#### No header board

Double sided	591010	591011	591012	591019
--------------	--------	--------	--------	--------

#### With header board

Double sided	591130	591131	591132	591139
--------------	--------	--------	--------	--------



### 16 A4

Display area:  
H1225 x W870 mm



City



Agora



Sphere



brushed  
stainless steel

#### No header board

Double sided	591040	591041	591042	591049
--------------	--------	--------	--------	--------

#### With header board

Double sided	591160	591161	591162	591169
--------------	--------	--------	--------	--------



### 24 A4

Display area:  
H1225 x W1670 mm



City



Agora



Sphere



brushed  
stainless steel

#### No header board

Double sided	591070	591071	591072	591079
--------------	--------	--------	--------	--------

#### With header board

Double sided	591190	591191	591192	591199
--------------	--------	--------	--------	--------



### 24 A4

Display area:  
H1670 x W1225 mm



City



Agora



Sphere



brushed  
stainless steel

#### No header board

Double sided	591100	591101	591102	591109
--------------	--------	--------	--------	--------

#### With header board

Double sided	591220	591221	591222	591231
--------------	--------	--------	--------	--------

## **DOME TOP POSTER DISPLAY CASE**

A simple and effective model for any type of outdoor information display, available in single and double-sided versions.

**Posts:** ø 114 mm steel tube with welded domed top cap.

**Door:** raising door mounted on gas struts; tool-free replacement in case of major vandalism with no need to take down the display case. Integrated wear-resistant hinge. Waterproof elastomer seal.

**Glazing:** 4 mm safety glass.

**Locks:** 2 tamper proof safety locks with 4 keys, mounted on the door profile.

**Back panel:** galvanised steel sheet with internal white lacquer (exterior in light grey on single-sided models).

**Finish:** 150 mm aluminium profile, silver anodised or painted in our notice board colour range (see page 10). Rounded die-cast aluminium corners.

**Post finish:** painted in our notice board colour range (see page 10).

**Installation:** concreted directly into ground.

				
<b>12 A4</b>		<b>24 A4</b>	<b>12 A4</b>	<b>30 A4</b>
Outside dimensions	H 1255 x W 900 mm	H 1255 x W 1700 mm	H 1700 x W 1255 mm	H 1860 x W 1310 mm
Window size	H 1160 x W 805 mm	H 1145 x W 1590 mm	H 1590 x W 1145 mm	H 1750 x W 1200 mm
	single sided / double sided	single sided / double sided	single sided / double sided	single sided / double sided
Codes	570000 / 570100	571000 / 571100	572000 / 572100	573000 / 573100



Code 571000



Code 407513



Code 572000

## **PARK NOTICE BOARD DEPTH 30, 58, 75 MM**

An elegant combination of wood and aluminium to display and protect information blending into natural environments (cemeteries, parks, gardens, forest paths, ski resorts, etc.).

**Display area:** from 8 to 27 A4.

**Glazing:** 4 mm Plexichoc®.

**Closure:** tamper-proof safety lock with 2 keys.

**Waterproofing:** elastomer seal.

**Finish:** silver anodised.

**Roof:** compact HPL 13 mm thickness, mahogany finish.




**Posts:** exotic hardwood, 60 x 60 mm or 93 x 93 mm depending on model.

**Height above ground:** from 2163 to 2527 mm, with mahogany colour finish.

**Installation:** on galvanised base plates painted RAL 8012, fixing rods supplied to be concreted.

**Optional:** LED lighting kit.

**Procity® magnets:** included (1 per A4, limit of 20 per display case).

			
<b>8 A4</b>		<b>18 A4</b>	<b>27 A4</b>
Depth	30 mm	58 mm	75 mm
Exterior dimensions	H 830 x W 980 mm	H 1080 x W 1330 mm	H 1000 x W 2010 mm
Window size	H 733 x W 883 mm	H 983 x W 1233 mm	H 889 x W 1899 mm
	single sided	single sided	single sided / double sided
Codes	407509	407511	407512 / 407513
Optional LED kit - single sided*	509117	509136	509109

\*Double sided, contact us



Code 407512



Code 407509

## CHILDREN'S COLLECTION

### "SCHOOL FUN" NOTICE BOARDS DEPTH 30 MM

This fun, imaginative, colourful and different way to display notices in schools, playgrounds, amusement parks and campsites will brighten up your site and highlight key information.

**Display area:** 2 to 6 A4, depending on the model.

**Glazing:** 4 mm Plexichoc®.

**Door:** side opening door.

**Closure:** tamper-proof safety lock with 2 keys.

**Waterproofing:** elastomer seal.

**Frame finish:** decorative elements made of 2 mm steel, painted in our children's colour range.

**Installation:** wall-mounted.

**Procity® magnets:** included (1 per A4).



■ Code 405026



■ Code 405027



■ Code 405029



■ Code 408010

	2 A4	4 A4	6 A4	
External dimensions	H 400 x W 550 mm	H 750 x W 550 mm	H 750 x W 750 mm	
Window size	H 303 x W 453 mm	H 653 x W 453 mm	H 653 x W 653 mm	
Shape	Butterfly	Teddy	Owl	Wall-mounted information tree
Total dimensions	H 674 x W 730 mm	H 1024 x W 743 mm	H 1254 x W 1075 mm	H 2160 x W 1230 mm
Codes	405026	405027	405029	408010

#### COLOUR OPTIONS



RAL 1021 RAL 3020 RAL 6018

## VENICE COLLECTION

### VENICE SIGN SUPPORT

Design from the Venice collection for a modern sign support, ideal for corporate or town entrance signs.

**Height above ground:** 2720 mm.

**Width:** 600 mm.

**Structure:** 3 mm steel, reinforced by 70 x 70 mm steel posts (signage not included).

**Finish:** galvanised and painted in our colours (see page 10).

**Installation:** concreted directly into ground.

Code 207928



## PROVINCE COLLECTION

### PROVINCE TOWN ENTRANCE SIGN

This town entrance sign coordinates with your Province street furniture with a choice of 4 decorative top caps.

**Height above ground:** 3140 mm.

**Width:** 1722 mm.

**Choose from four top caps:** City, Agora, Sphere or brushed stainless steel.

**Structure:** steel tube, ø 76 and 60 mm.

**Finish:** zinc primed and painted in our colours (see page 10).

**Installation:** concreted directly into ground.

**Options:**

- Panel support frame consisting of 2 horizontal crossbars, each with 2 vertical tubes (40 x 40 mm) for attaching sign panels.
- Planter ø 600 mm (see page 144).



■ Code 207922 + 207924 + 201316

	City	Agora	Sphere	brushed stainless steel
Codes	207920	207921	207922	207926
Optional panel support frame	207924			



# “ALLURE” NOTICE BOARD DEPTH 30 MM

A compact, heavy-duty and beautifully finished notice board to post your information in busy indoor spaces (office hallways, council offices, schools, entry halls, waiting rooms, hospitals, and more).

- Display area:** 2 to 18 A4.
- Glazing:** 4 mm Plexichoc®.
- Door:** side opening reversible or dual door.
- Closure:** tamper-resistant safety lock with 2 keys.
- Frame:** silver anodised aluminium or painted in our notice board colour range (see page 10), except double-swing door available in silver anodised only.
- Back panel:** magnetic, galvanised sheet metal with lacquered in white.
- Installation:** wall-mounted.
- Options:** LED lighting kit, extra magnets.
- Procity® magnets:** included (1 per A4, limit of 20 per display case).



■ Code 515601

Side opening door				
	<b>2 A4</b>	<b>4 A4</b>	<b>6 A4</b>	<b>9 A4</b>
External dimensions	H 400 x W 550 mm	H 750 x W 550 mm	H 750 x W 750 mm	H 1050 x W 750 mm
Window size	H 303 x W 453 mm	H 653 x W 453 mm	H 653 x W 653 mm	H 953 x W 653 mm
Anodised	505081	505082	505083	505084
Painted	405081	405082	405083	405084
Optional				
LED kit	509100	509100	509101	509101

Dual door		
	<b>8 A4</b>	<b>18 A4</b>
External dimensions	H 750 x W 1200 mm	H 1050 x W 1400 mm
Window size	2 x H 653 x W 516 mm	2 x H 953 x W 616 mm
Anodised	515600	515601
Optional		
LED kit	509120	509121



■ Code 405082



Code 505084

## **“ALLURE” SLIDING-DOOR NOTICE BOARD BOARD DEPTH 34 MM**

The ideal notice board for entry halls and corridors: the sliding doors don't block the passageway when opened.

**Display area:** 8 to 12 A4.

**Glazing:** Plexi-rigide®, 4 mm rigid acrylic.

**Door:** 2 sliding doors, 1 lock with 2 keys.



**Frame:** silver anodised aluminium, bevelled for safety.

**Back panel:** magnetic, galvanised sheet metal with lacquered in white.

**Installation:** wall-mounted.

**Options:** LED lighting kit, extra magnets.

**Procity® magnets:** included (1 per A4, limit of 20 per display case).

		
	<b>8 A4</b>	<b>12 A4</b>
External dimension dimensions	H 750 x W 1000 mm	H 750 x W 1400 mm
Window size	H 714 x W 964 mm	H 714 x W 1364 mm
Anodised	505100	505101
<b>Optional</b>		
LED kit	509130	509131



■ Code 505101

## **“CLASSIC” SLIDING-DOOR NOTICE BOARD DEPTH 60 MM**

Large format with a slim line and, thanks to its glass sliding doors mounted on trucks, it glides open. This notice board is also one of our sturdiest.

**Display area:** 8 to 30 A4.

**Panes:** 6mm safety glass.

**Door:** 2 sliding doors on trucks, 1 lock with 2 keys.





**Frame:** silver anodised aluminium, or painted in our notice board colour range (see page 10) with rounded profiles on the edges.

**Back panel:** magnetic, galvanised sheet metal with lacquered in white.

**Installation:** wall-mounted.

**Options:** LED lighting kit, extra magnets.

**Procity® magnets:** included (1 per A4, limit of 20 per display case).

				
	<b>8 A4</b>	<b>12 A4</b>	<b>24 A4</b>	<b>30 A4</b>
External dimensions	H 750 x W 1000 mm	H 750 x W 1400 mm	H 1050 x W 1800 mm	H 1050 x W 2200 mm
Window size	H 668 x W 933 mm	H 668 x W 1333 mm	H 968 x W 1733 mm	H 968 x W 2133 mm
Anodised	513000	513001	513002	513003
Painted	413000	413001	413002	413003
Optional LED kit	509117	509136	509108	509110



■ Code 413001

## ULTRA-SLIM “ECO 100” NOTICE BOARD DEPTH 18 MM

A sleek and discreet ultra design notice board for indoor use.  
Great quality at a low price.

**Display area:** 2 to 9 A4.

**Glazing:** 3 mm Plexi-rigide®.





**Door:** side opening door, 1 or 2 locks (2 keys per lock).

**Frame:** silver anodised aluminium.

**Back panel:** magnetic, galvanised sheet metal with lacquered in white.

**Installation:** wall-mounted or on optional 5-point stand.

**Magnets:** included (1 per A4).

				
	<b>2 A4</b>	<b>4 A4</b>	<b>6 A4</b>	<b>9 A4</b>
External dimensions	H 386 x W 550 mm	H 688 x W 550 mm	H 688 x W 765 mm	H 990 x W 765 mm
Window size	H 307 x W 461 mm	H 609 x W 461 mm	H 609 x W 676 mm	H 911 x W 676 mm
Codes	504010	504011	504012	504013



■ Code 504012



Réf. 504011



Code 504013

## “ECO-CLICK” SNAP FRAME DEPTH 12 MM

Our snap frames offer a simple, cost-effective solution for indoor display of non-confidential information, advertising, safety information, etc.

**Formats:** A4 or A3.

**Frame:** 12 mm wide aluminium profile.

**Opening/closing:** pivoting the sprung aluminium side sections.

**Corners:** right angles.


**Finish:** silver anodised. Anti-glare protective sheet made of flexible plastic.

**Installation:** wall-mount (screws and anchors included).



	<b>A4</b>	<b>A3</b>
External dimensions	H 325 x W 240 mm	H 450 x W 325 mm
Window size	H 275 x W 190 mm	H 400 x W 275 mm
Code (sold in batches of 5 units)	504110	504120



■ Code 504110



■ Code 504120





DISPLAY STANDS

A perfect solution for displaying documents, display boards or photos for temporary exhibitions.

**Dimensions:** height 2000 mm x width 1000 mm.  
**Structure:** ø 25 mm steel tube frame and 50 x 50 mm mesh.  
**Contents:** set of 3 grids delivered with 6 assembly clips and 12 hanger hooks.  
**Optional:** double-sided supporting feet.

Code	513603
<b>Options</b>	
Double-sided supporting feet	513604
Additional assembly clip	513605



■ Code 513603



Code 513604



Code 513605



Code 513603