



Utility Tray Trolleys

A unique range of robust tray trolleys designed for most environments, including warehouses, garages, catering, serving and general everyday use. The specially formed aluminium uprights and ribbed plastic shelves provide strength, durability and stability. Fitted with 100mm diameter thermoplastic swivel rubber castors (2 braked).

2 Shelf Trolleys

Description	Standard - 2 Shelves	Large - 2 Shelves
Overall H x W x D mm	940 x 460 x 750	970 x 513 x 990
Shelves L x W mm	630 x 424	866 x 500
Capacity kg	100	120
Order Ref	TT40	TT41

3 Shelf Trolleys

Description	Standard - 3 Shelves	Large - 3 Shelves
Overall H x W x D mm	980 x 460 x 750	1010 x 513 x 990
Shelves L x W mm	630 x 424	866 x 500
Capacity kg	150	200
Order Ref	TT42	TT43

Folding Flatbed Trolleys

A sturdy range of highly manoeuvrable steel trolleys suitable for transporting various goods. Ideal for indoor and outdoor use.

- Folds flat for compact storage
- Non-slip rubber platforms and scuff resistant corners
- Non-marking wheels (2 fixed and 2 swivel)
- Powder coated steel handles



Description	Standard Folding Flatbed	Large Folding Flatbed
Overall H x W x D mm	810 x 470 x 730	870 x 608 x 907
Folded Height mm	230	285
Wheels Ømm	100	125
Capacity kg	150	300
Order Ref	TT44	TT45

Low Cost Tray Trolleys



Max Load
150kg



Made in
Britain

2 or 3 fixed steel trays. Fully welded construction. Fixed steel trays with smooth folded lips. Trays are welded in position at specified heights.

Wheels: 4 swivel castors with 125mm diameter, grey non-marking tyres with thread guards. Powder coated finish.



Options

Total stop brakes

Ref: **B047 (pair)**



Overall L x W mm	890 x 465	
Overall H mm	840	
Tray Size mm	762 x 457	
Trays	2 Tier	3 Tier
Weight kg	19	23
Tray Heights mm	190: 840	190: 515: 840
Order Ref	TT70	TT71
Colour Options	<input type="radio"/> W	<input checked="" type="radio"/> B



Tray Trolleys

Choice of elegant and smart removable and reversible white or blue trays in blue frame, or fixed ply shelves. Tough durable epoxy finish throughout.

Choice of 2 or 3 removable steel trays or fixed ply shelves. Removable and reversible steel trays for flush or recessed fitting. Welded tube and angle construction.

Wheels: 125mm diameter stem fitting castors. Grey non marking tyres with thread guards.



Max Load
150kg



Made in
Britain

Overall Height mm	1065			
No. of trays	2 - Tray		3 - Tray	
Tray size L x W mm	760 x 457	1065 x 610	760 x 457	1065 x 610
Tray heights mm	245 : 945		245 : 595 : 945	
Weight Kgs	25	38	34	52
TTW Series Ref	TT62	TT66	TT63	TT67
White epoxy trays				
TTB Series Ref	TT72	TT76	TT73	TT77
Blue epoxy trays				
TT60 Series Ref	TT60	TT64	TT61	TT65
Fixed ply trays Weight Kgs	20	31	27	41

Optional extras

Revolving Protector Buffers
to protect walls and trolley.
Factory fitted
Ref: B171 (set)



Total Stop Brakes
always recommended
Ref: B047 (pair)



Pneumatic Tyres
complete set of 4
Ref: B009



TT63



TT72



TT66



TT65



TT77



TT61



TT350 Series

Special heavyweight tray trolleys custom built to your specification if required. Strong construction from square and round section steel tubes and steel shelves with lip.

Height mm	1200
Overall L x W x H mm	1090 x 500 x 1200
External Tray Size L x W mm	900 x 500
Bottom Shelf H mm	280
Middle Shelf H mm	740
Top Shelf H mm	1200
Weight kg	58
Ref:	TT35

Height mm	900
Overall L x W x H mm	1090 x 500 x 900
External Tray Size L x W mm	900 x 500
Bottom Shelf H mm	280
Middle Shelf H mm	590
Top Shelf H mm	900
Weight kg	56
Ref:	TT34



Wheels: 2 fixed and 2 swivel castors with 200mm diameter red centred wheels fitted with solid rubber tyres and roller bearings. Finish: Blue epoxy

Optional extra

Total stop brakes - Ref: **B013 (pair)**



Industrial Tray Trolleys

2 or 3 tray in varnished ply timber panel or sheet steel trays.

Tough, high capacity industrial design with heavy duty, fully welded angle and tube construction. Highly suited to industrial use in stores, workshops and factories.

Wheels: Plate fixing castors with 160mm diameter rubber tyred wheels. Roller bearings, 2 swivel and 2 fixed.

Finish: Blue or red epoxy.

Overall L x W x H mm	1070 x 615 x 1045			
Top Shelf H mm	950			
Middle Shelf H mm	605			
Bottom Shelf H mm	260			
Capacity kg	300			
Tray L x W mm	1000 x 600			
Tray Type	Timber panel trays 10mm raised edge		Steel panel trays 20mm raised edge	
Number Of Trays	2	3	2	3
Overall Weight kg	40	45	50	57
Order Ref	TT36	TT37	TT38	TT39

Colour Options	B	R
----------------	----------	----------

Optional extra

Total stop brakes

Ref: **B024 (pair)**



Loadtek

Tray Trolleys

35

Heavy Duty Table Trucks

Ideal truck series for tough work in stores, warehouses, factories and workshops.

Welded steel construction throughout with a choice of timber or steel decks.

Overall length = Deck length + 135mm

Overall width = Deck width + 20mm

Finish: Blue epoxy.

Wheels: 2 fixed and 2 swivel castors

200mm diameter rubber tyred wheels.

Recessed Deck Option

Recessed top and bottom decks optional at no extra cost. Add suffix **RD** to chosen Ref.

Optional extras

Total stop brakes -

Ref: **B013 (pair)**



Protective bumper strips (factory fitted):

Deck size 1000 x 700mm - Ref: **BS2**

Deck size 1200 x 800mm - Ref: **BS3**



Heavy duty top deck

Height - 895mm

Ref: **TT230T / TT240T / TT205T**

Extremely stable, especially when fitted with optional brakes.



Heavy duty steel top deck
Shelf Height mm: 895

Ref: **TT230S / TT240S / TT205S**



2 heavy duty steel decks
Shelf Heights mm: 275 : 895

Ref: **TT210S / TT220S / TT200S**



2 heavy duty timber decks
Shelf Heights mm: 275 : 895

Ref: **TT210T / TT220T / TT200T**



Overall Size L x W x H mm: 1135 x 620 x 895
Weight 50 kg
Deck Size mm: 1000 x 600
Ref: **SP606S**

Total stop brakes -
Ref: **B229 (pair)**
for SP606S only



Deck size	1000 x 600 mm		1000 x 700 mm		1200 x 800 mm	
Type	Top deck only	Top and bottom deck	Top deck only	Top and bottom deck	Top deck only	Top and bottom deck
Weight Kgs	42	52	46	56	53	66
Timber Deck Ref	TT205T	TT200T	TT230T	TT210T	TT240T	TT220T
Weight Kgs	40	48	44	52	50	64
Steel Deck Ref	TT205S	TT200S	TT230S	TT210S	TT240S	TT220S



Max Load
500kg



Made in
Britain



6 Model TT160 Series

Welded tubular and flat steel chassis frame. All plywood shelves are fixed, polyurethane coated with hardwood edge and have 20mm upstand. Steel shelves have 25mm upstand. All steelwork is finished in blue epoxy.

Cupboards and drawers supplied with lock and 2 keys.

Wheels: Standard design 2 swivel and 2 fixed 125mm diameter rubber tyres.

Overall H x W x L mm: 1045 x 620 x 1160

2 tier shelf heights mm: 285 and 805

3 tier shelf heights mm: 285, 545 and 805



Max Load
150kg



Made in
Britain



TT160

TT161



TT162



TT165



TT166



TT168



Optional extras (factory fitted)

Pneumatic tyres
complete set of 4
200 x 50mm;

Ref: **B008**



All swivel castors
125 dia. RT castors;

Ref: **B031**



Total stop brakes (pair);

Ref: **B032**



Trolley Specification	Weight	Order Ref
2 plywood shelves	30kgs	TT160
3 plywood shelves	37kgs	TT161
Plywood top shelf and 2 plywood half shelves 1 steel cupboard H x W x D 485 x 500 x 600mm	52kgs	TT162
Top and bottom steel shelves 2 drawers each H x W x D 95 x 500 x 460mm	51kgs	TT165
Top and bottom steel shelves, drawer and cupboard drawer H x W x D 95 x 500 x 460mm	51kgs	TT166
2 steel shelves	37kgs	TT168



Loadtek

Workshop Trolleys

37



Max Load
200kg



Made in
Britain



Double sided tool panel trolley - 3 panel high Ref: **LPT-03**

Tool Panel Trolleys

'A' frame double sided tool panel trolleys with integral sheet steel deck storage area. Fully welded steel frame construction with bolt-on tool panels. Tubular push/pull handle.

Wheels: 2 swivel braked and 2 fixed castors fitted with 125mm blue resilex wheels and roller bearings.

Finish: Grey epoxy trolley (BS00A05) with Blue panels (RAL5017).

Panels	2	3
Overall H mm	1220	1600
Base L x W mm	1025 x 600	
Deck H mm	280	
Order Ref	LPT-02	LPT-03

For tool hooks - see page 165



Double sided tool panel trolley - 2 panel high Ref: **LPT-02**



Max Load
350kg



Made in
Britain



TS62



TS63



TS64

Narrow Aisle Shelf Trucks

Designed for use in narrow gangways and confined spaces, easily passes through standard doorways. Combination of options meet most requirements in workshops, warehouses and hospitals.

Manufactured from tubular steel framework with steel rod infill panels, and punched steel, flush surface shelves.

Wheels: 2 fixed and 2 swivel castors with 160mm diameter rubber tyred wheels with roller bearings.

Finish: Main frame red epoxy; deck and shelves light grey epoxy.

Overall L x W x H mm	1030 x 625 x 1785	
Deck L x W mm	960 x 600	
Shelf L x W mm	960 x 560	
Deck Height mm	235	
First Shelf Height mm	720	
Second Shelf Height mm	1200	
Weight Capacity	Deck - 150kg	Shelf - 100kg

Description	Total capacity	Weight Kg	Order Ref
Deck + 2 ends + 2 shelves	350 kg	50	TS62
Deck + 2 ends + 2 shelves + 1 side	350 kg	55	TS63
Deck + 2 ends + 2 shelves + 2 sides	350 kg	60	TS64

Air-flow punched steel shelves with flush surface. Ends and shelves fixed, both sides hook-on.



Optional extra
Total stop brakes:
Ref: **B024 (pair)**



Book Trolleys



Max Load
150kg



Made in
Britain

Popular design for libraries, offices, classrooms, laboratories etc.
Single sided with flat shelves and double sided with angled shelves. Strong all steel construction finished in cream epoxy. Overall L x W: 840 x 470mm. Fitted with 4 swivel castors 100mm, grey non-marking tyres and thread guards.

2 Tier	Single Sided	Double Sided
Overall height	940mm	955mm
Shelf heights	185/580mm	185/655mm
Overall L x W	840 x 390mm	840 x 470mm
Weight	27kg	35kg
Ref	TT24	TT21
3 Tier	Single Sided	Double Sided
Overall height	1265mm	1325mm
Shelf heights	185/540/895mm	185/600/1020mm
Overall L x W	840 x 390mm	840 x 470mm
Weight	38kg	46kg
Order Ref	TT25	TT22

Colour Options



TT21/B

4 handle frame colours, ideal for job or location coding



TT25/B



TT24/R



TT22/G

Book Trolley



Max Load
250kg



Made in
Britain

Popular design for libraries, offices, classrooms and laboratories.

Double sided with angled shelves. Tubular steel frame with sheet steel shelves. Fitted with 4 swivel castors 125mm, grey non-marking tyres and thread guards.

Optional extras

Total stop brakes:
Ref: **B052 (pair)**



Revolving buffer corners:
Ref: **B172 (set)**



Overall L x W x H mm	880 x 550 x 1115
Weight kg	37
Shelf Clearance mm	345
Order Ref	TT26

Colour Options



Loadtek

Book Trolleys



WT20

Parcel Trucks

With 3 fixed tubular sides. Push handle one end. Polyurethane coated plywood platform flush fitted into angle frame chassis.

Wheels: 2 fixed and 2 swivel castors with 200mm diameter rubber tyred wheels and roller bearings.

Finish: Blue epoxy.

Deck size L x W mm	Overall L x W x H mm	Effective height mm	Deck height mm	Weight Kgs	Order Ref
1000 x 700	1190 x 730 x 1575	1300	275	60	WT20
1200 x 800	1390 x 830 x 1575	1300	275	70	WT21

Optional extras

Total stop brakes:

Ref: **B013 (pair)**



Protective bumper strips
(factory fitted):

Deck size 1000 x 700mm, Ref: **BS2**

Deck size 1200 x 800mm, Ref: **BS3**



Made in
Britain



WT23

Stanchion Trucks

Ideal for long bulky loads.

625mm removable corner stanchions for easier loading and unloading. 2 deck sizes and 2 models: 500kg and 1000kg heavy duty fully welded construction. Steel angle with tubular post pockets.

Wheels: 2 swivel 2 fixed castors with 200 or 250mm diameter rubber tyred wheels. Bright zinc plated steel centres and roller bearings.

Finish: Blue epoxy.

Deck size L x W mm	Capacity Kgs	Wheel dia. mm	Deck height mm	Weight Kgs	Order Ref
1300 x 700	500	200	275	40	WT23
Overall: 1310 x 770	1000	250	355	50	WT24
1600 x 800	500	200	275	50	WT25
Overall: 1610 x 870	1000	250	355	57	WT26



TD602

TD600

TD601

Platform and Frame Dollies

A range of dollies to suit most industrial needs. Steel frame construction with a choice of deck types in a compact 600 x 600mm deck size.

Finish: Blue epoxy.

Wheels: 4 swivel castors with 125mm diameter rubber tyred roller bearing wheels with bright zinc plated centres.

Deck Type	Timber	Steel	Open Frame
Capacity kg	300	300	300
Deck L x W mm	600 x 600	600 x 600	600 x 600
Platform Height mm	198	198	198
Wheel Diameter mm	125	125	125
Weight kg	19	21	15
Order Ref	TD600	TD601	TD602



TT100 Range

Ideal for warehouses, stores, supermarkets, factories and offices.

2, 3 and 4 deck models. Made from a high quality tubular chassis frame with a red epoxy finish. Fixed timber shelves with bright steel protector strips on both long sides.

Wheels: 2 fixed and 2 swivel castors with 160mm diameter rubber tyred wheels with bright steel centres. Brakes optional.

Overall L x W mm	1070 x 610
Deck L x W mm	1000 x 600
Overall Height (1, 2 & 3 Decks) mm	1160
Overall Height (4 Decks) mm	1500

No. of Decks	Deck Heights mm	Weight kg	Order Ref
2	290 : 1010	38	TT100
3	290 : 650 : 1010	46	TT113
4	290 : 650 : 1010 : 1370	57	TT116

Optional extra
Total stop brakes:
Ref: B083 (pair)



Always recommended as
an important safety feature.
Suitable for all models.



Max Load
250kg



Made in
Britain

TT116



TT100



TT113





Shelf Truck

Welded angle chassis with tubular end frames. Fixed ply platform plus 3 drop-in ply shelves. 2 standard models. Both available as drawbar version. Wheels: 2 fixed and 2 swivel castors with 200mm diameter rubber tyred wheels and roller bearings.

Finish: Blue epoxy.

Model	Standard		With drawbar handle	
Overall Height mm	1780		1780	
Overall Length mm	1200	1400	1200	1400
Deck size L x W mm	1000 x 700	1200 x 800	1000 x 700	1200 x 800
Shelf Levels mm	635 : 1005 : 1375		635 : 1005 : 1375	
Deck Height mm	275		275	
Weight kg	65	80	69	84
Order Ref	TS30	TS31	TS30T	TS31T

Capacity UDL Kg: Truck max 500; per shelf max 50; base 350 when shelves fully loaded

Optional extra

Total stop brakes:

Ref: **B013 (pair)**



Optional drawbar



Optional hook on front



Optional extra

Total stop brakes:

Ref: **B013 (pair)**



Shelf Truck with Rod Superstructure

Welded angle chassis and tubular superstructure with vertical retaining rods. Fixed ply platform and 4 removable ply shelves.

Wheels: 2 fixed and 2 swivel castors with 200mm diameter rubber tyred wheels and roller bearings.

Finish: Blue epoxy.

Model	Standard		With drawbar handle	
Overall Height mm	1780		1780	
Overall Length mm	1200	1400	1200	1400
Deck size L x W mm	1000 x 700	1200 x 800	1000 x 700	1200 x 800
Shelf Heights at 300mm Centres	570 : 870 : 1170 : 1470		570 : 870 : 1170 : 1470	
Clearance mm	280		280	
Deck Height mm	275		275	
Open Fronted				
Weight kg	88	106	90	108
Order Ref	TS32	TS34	TS32T	TS34T
With Hook on Front				
Weight kg	98	117	100	119
Order Ref	TS33	TS35	TS33T	TS35T

Capacity UDL Kg: Truck max 500; per shelf max 50; base 300 when shelves fully loaded



Shelf Truck with Mesh Superstructure

With mesh superstructure - 3 sides and top. Welded mesh infill 50 x 50mm panels 5 drop-in shelves. Welded angle chassis and superstructure. Fixed ply platform and 5 removable ply shelves. Wheels: 2 fixed and 2 swivel castors with 200mm diameter rubber tyred wheels and roller bearings.

Finish: Blue epoxy.

Model	Standard		With drawbar handle	
Overall Height mm	1780		1780	
Overall Length mm	1200	1400	1200	1400
Deck size L x W mm	1000 x 700	1200 x 800	1000 x 700	1200 x 800
Shelf Heights at 250mm Centres	275 : 525 : 775 : 1025 : 1275 : 1525		275 : 525 : 775 : 1025 : 1275 : 1525	
Clearance mm	230		230	
Deck Height mm	275		275	
Open Fronted				
Weight kg	110	120	112	122
Order Ref	TS36	TS38	TS36T	TS38T
With Hinged Doors				
Weight kg	127	138	129	140
Order Ref	TS37	TS39	TS37T	TS39T

Capacity UDL Kg: Truck max 500; per shelf max 50; base 250 when shelves fully loaded



Max Load
500kg



Made in
Britain



TS36

Optional hinged doors



Optional extra

Total stop brakes:
Ref: B013 (pair)



DIY Trolley

Sectioned trolley designed for the transportation of mixed products such as flat boards, boxes and tubes etc. Welded tube framework with flush fitting ply wood deck.

Wheels: 2 swivel and 2 fixed 160mm steel centred wheels with rubber tyres and roller bearings.

Finish: Red epoxy.

Overall H x L x W mm	1200 x 600 x 1000
Deck Height mm	220
Rail Heights from Deck mm	650 : 980
Weight kg	36
Ref:	TP37

Optional extra

Total stop brakes:

Ref: B083 (pair)



Max Load
450kg



Made in
Britain



Loadtek

Shelf Trucks / DIY Trolley

43

Boxtek Trolleys

The Boxtek Trolley is designed and manufactured by Redhill in the UK to the highest standards of quality and safety, facilitating the easy transportation and storage of equipment and goods in the warehouse, workshop or on the factory floor.



Max Load
500kg



Made in
Britain

- Choice of models, with or without doors
- Two adjustable shelves in choice of plywood or steel
- Maximum load capacity per shelf: 100kg UDL
- Maximum load capacity per trolley: 500kg UDL
- Finished in a range of 5 standard colours
- Fitted with 2 swivel braked & 2 fixed heavy duty blue resilex castors with low rolling resistance and non marking tread
- Robust frame with steel base and open mesh lid



BWIP



BW3SG

Without Doors		
Size H x W x D mm	Shelf Option	Ref
1355 x 900 x 600	Plywood	BWIP
	Steel	BWIS
1355 x 1200 x 600	Plywood	BW2P
	Steel	BW2S
1655 x 900 x 600	Plywood	BW3P
	Steel	BW3S
1655 x 1200 x 600	Plywood	BW4P
	Steel	BW4S
1955 x 900 x 600	Plywood	BW5P
	Steel	BW5S
1955 x 1200 x 600	Plywood	BW6P
	Steel	BW6S

With Doors		
Size H x W x D mm	Shelf Option	Ref
1355 x 900 x 600	Plywood	BWIPG
	Steel	BWISG
1355 x 1200 x 600	Plywood	BW2PG
	Steel	BW2SG
1655 x 900 x 600	Plywood	BW3PG
	Steel	BW3SG
1655 x 1200 x 600	Plywood	BW4PG
	Steel	BW4SG
1955 x 900 x 600	Plywood	BW5PG
	Steel	BW5SG
1955 x 1200 x 600	Plywood	BW6PG
	Steel	BW6SG

Colour Options GN R B Y GY



Hazardous Boxtek Trolleys

Tough, sturdy Hazardous Boxtek Trolley designed and manufactured in the UK by Redhill to the highest quality standards for the safe and secure storage and transportation between work areas of dangerous or hazardous materials.



Max Load
500kg



Made in
Britain

- Choice of models: with or without fitted doors
- Two adjustable shelves with choice of steel or plywood
- Maximum load capacity per shelf: 100kg UDL
- Maximum load capacity per trolley: 500kg UDL
- Finished in yellow, with hazardous warning stickers
- Fitted with 2 swivel braked & 2 fixed heavy duty blue resilient castors with low rolling resistance and non marking tread
- Robust frame with solid steel base and lid



HBW4P



HBW2SG

Without Doors		
Size H x W x D mm	Shelf Option	Ref
1355 x 900 x 600	Plywood	HBW1P
	Steel	HBW1S
1355 x 1200 x 600	Plywood	HBW2P
	Steel	HBW2S
1655 x 900 x 600	Plywood	HBW3P
	Steel	HBW3S
1655 x 1200 x 600	Plywood	HBW4P
	Steel	HBW4S
1955 x 900 x 600	Plywood	HBW5P
	Steel	HBW5S
1955 x 1200 x 600	Plywood	HBW6P
	Steel	HBW6S

With Doors		
Size H x W x D mm	Shelf Option	Ref
1355 x 900 x 600	Plywood	HBW1PG
	Steel	HBW1SG
1355 x 1200 x 600	Plywood	HBW2PG
	Steel	HBW2SG
1655 x 900 x 600	Plywood	HBW3PG
	Steel	HBW3SG
1655 x 1200 x 600	Plywood	HBW4PG
	Steel	HBW4SG
1955 x 900 x 600	Plywood	HBW5PG
	Steel	HBW5SG
1955 x 1200 x 600	Plywood	HBW6PG
	Steel	HBW6SG



Loadtek

Hazardous Boxtek Trolleys



500 Series

Large Standard Euro Platform.

Substantial timber deck, all steel welded frame.

Wheels: 2 swivel and 2 fixed castors with 160mm red centre wheels with rubber tyres and roller bearing wheels.

Type	Overall Length	Overall Width
Platform only	Deck length + 25mm	605mm
Single end	Deck length + 85mm	705mm
Double end	Deck length + 145mm	805mm

Deck size L x W mm	1000 x 600mm	1000 x 700mm	1200 x 800mm
Platform only Ref	TC600	TC700	TC800
Weight kg	25	26	33
Single end Ref	TC601TB	TC701TB	TC801TB
Weight kg	29	30	38
Double end Ref	TC602TB	TC702TB	TC802TB
Weight kg	33	34	42

Optional extras

Total stop brakes.
Ref: **B024 (pair)**



Bumper strip (Factory fitted)

1000 x 600mm. Ref: **BS1**

1000 x 700mm. Ref: **BS2**

1200 x 800mm. Ref: **BS3**



Long Goods Platform Trucks

Substantial timber deck. All steel welded frame.

Wheels: 2 swivel and 2 fixed castors 160mm diameter rubber tyred wheels and roller bearings.

Finish: Blue epoxy.

Overall Height mm	1035		
Deck Height mm	235		
Overall L x W mm	1025 x 605	1025 x 705	1225 x 805
Platform L x W mm	1000 x 600	1000 x 700	1200 x 800
2 straight sides - Tubular			
Retaining Sides mm	800		
Weight	40	41	47
Order Ref	TC605TB	TC705TB	TC805TB
2 straight sides - Timber			
Retaining Sides mm	520		
Weight	41	43	49
Order Ref	TC605P	TC705P	TC805P

Optional extra

Total stop brakes:
Ref: **B024 (pair)**



TC900 Series

Small deck size of 850 x 500mm. Choice of mesh or plywood panels. Substantial timber deck. Blue epoxy finished frame with removable zinc plated mesh side panels or clear varnished plywood end and side panels. Handle ends are fully welded to all steel welded base.

Wheels: 2 swivel and 2 fixed castors with 160mm diameter rubber tyred roller bearing wheels.



Deck L x W mm	850 x 500	
Overall Length	Single end: Deck length + 85mm	Double end: Deck length + 145mm
Overall Width mm	505	
Overall Height mm	985	
Deck Height mm	235	
Load Restraint H mm	520	

Panel type	Mesh	Plywood
Single end Ref:	TC901M	TC901P
Weight kg	28	29
Double end Ref:	TC902M	TC902P
Weight kg	34	35
3 Sided Ref:	TC903M	TC903P
Weight kg	37	38
4 Sided Ref:	TC904M	TC904P
Weight kg	40	41

Optional extras

Total stop brakes.

Ref: **B024 (pair)**



Non Marking Tyre

160mm. Ref: **B040**



Pneumatic Tyres

200mm. Ref: **B008**

260mm. Ref: **B010**



N.B: B008 reduces the capacity to 250kgs, B010 increases the deck height by 100mm.

Bumper strip (Factory fitted)

850 x 500mm. Ref: **BS1**



TC901M



TC902M



TC903M



TC904M



TC901P



TC902P



TC903P



TC904P



500 Series with Mesh Panels

Mesh panelled platform trucks. Choice of 3 deck sizes, Substantial timber deck. Blue epoxy finished frame with removable zinc plated mesh side panels or clear varnished plywood end and side panels. Handle ends are fully welded to all steel welded base.

Wheels: 2 swivel 2 fixed castors, with 160mm diameter rubber tyred roller bearing wheels.



TC701M



TC702M



TC703M



TC704M

Optional extras

Total stop brakes.

Ref: **B024 (pair)**



Non Marking Tyre

160mm. Ref: **B040**



Pneumatic Tyres

200mm. Ref: **B008**

260mm. Ref: **B010**



Bumper strip (Factory fitted)

1000 x 600mm. Ref: **BS1**

1000 x 700mm. Ref: **BS2**

1200 x 800mm. Ref: **BS3**



N.B: B008 reduces the capacity to 250kgs,
B010 increases the deck height by 100mm

Deck Height mm	235		
Load Restraint Height mm	520		
Overall Height mm	985		
Overall Length	Single end: Deck length + 85mm	Double end: Deck length + 145mm	
Overall Width mm	605	705	805
Deck size L x W mm	1000 x 600	1000 x 700	1200 x 800
Single End Ref:	TC601M	TC701M	TC801M
Weight kg	30	32	37
Double End Ref:	TC602M	TC702M	TC802M
Weight kg	36	38	44
3 Sided Ref:	TC603M	TC703M	TC803M
Weight kg	39	41	48
4 Sided Ref:	TC604M	TC704M	TC804M
Weight Kgs:	42	44	52



500 Series with Timber Panels

Timber panelled platform trucks. Choice of 3 deck sizes. Substantial timber deck. Blue epoxy finished frame with removable zinc plated mesh side panels or clear varnished plywood end and side panels. Handle ends are fully welded to all steel welded base.

Wheels: 2 swivel 2 fixed castors, with 160mm diameter rubber tyred roller bearing wheels.



TC701P



TC702P



TC703P



TC704P

Optional extras

Total stop brakes.
Ref: **B024 (pair)**



Non Marking Tyre
160mm. Ref: **B040**



Pneumatic Tyres
200mm. Ref: **B008**
260mm. Ref: **B010**



Bumper strip (Factory fitted)
1000 x 600mm. Ref: **BS1**
1000 x 700mm. Ref: **BS2**
1200 x 800mm. Ref: **BS3**



N.B: B008 reduces the capacity to 250kgs,
B010 increases the deck height by 100mm

Deck Height mm	235		
Load Restraint Height mm	520		
Overall Height mm	985		
Overall Length	Single end: Deck length + 85mm	Double end: Deck length + 145mm	
Overall Width mm	605	705	805
Deck size L x W mm	1000 x 600	1000 x 700	1200 x 800
Single End Ref:	TC601P	TC701P	TC801P
Weight kg	31	33	38
Double End Ref:	TC602P	TC702P	TC802P
Weight kg	37	38	45
3 Sided Ref:	TC603P	TC703P	TC803P
Weight kg	42	44	51
4 Sided Ref:	TC604P	TC704P	TC804P
Weight kg	47	49	57



Loadtek

Platform Trucks

49

Stainless Steel Range

304 Grade Stainless Steel platform trucks. High specification range of platform trucks suitable for the food and drink industry. Completely formed from 304 grade stainless steel sheet, tube and wire mesh. Fixed mesh ends and removable mesh sides.

Wheels: 2 swivel and 2 fixed stainless steel castors fitted with 200mm diameter rubber tyred wheels with red centres and stainless steel roller bearings.



Max Load
500kg



Made in
Britain



SP701M

Optional extra

Total stop brakes:

Ref. **B229 (pair)**



Bumper strip (Factory fitted)

1000 x 600mm: Ref. **BS1**

1000 x 700mm: Ref. **BS2**

1200 x 800mm: Ref. **BS3**



Overall Height mm	985
Deck Height mm	295
Mesh Panel Height mm	480
Deck size L x W mm	1000 x 600 1000 x 700 1200 x 800

Mobile Base Only			
Order Ref	SP600	SP700	SP800
Weight kg	33	35	40
Single end			
Order Ref	SP601M	SP701M	SP801M
Weight kg	37	39	45
Clear load area	930 x 600mm	930 x 700mm	1130 x 800mm
Double End			
Order Ref	SP602M	SP702M	SP802M
Weight kg	41	44	50
Clear load area	860 x 600mm	860 x 700mm	1060 x 800mm
3 Sided			
Order Ref	SP603M	SP703M	SP803M
Weight kg	44	47	54
Clear load area	860 x 555mm	860 x 655mm	1060 x 755mm
4 Sided			
Order Ref	SP604M	SP704M	SP804M
Weight kg	47	50	58
Clear load area	860 x 510mm	860 x 610mm	1060 x 710mm



SP702M



SP703M



SP704M



Colour Range

Coloured platform trucks. High quality powder coated decks in a range of attractive colours, with bright zinc plated fixed mesh ends and removable sides. End panels fixed, side panels removable.

Wheels: 2 swivel and 2 fixed castors with 200mm diameter, rubber tyred wheels with bright zinc plated centres and roller bearings.



Optional extras

Total stop brakes:

Ref. **B073 (pair)**



Non Marking Tyre

200mm: Ref. **B041**



Pneumatic Tyres

260mm: Ref. **B010**

N.B: B010 increase the deck height by 100mm



Bumper strip (Factory fitted)

1000 x 600mm: Ref. **BS1**

1000 x 700mm: Ref. **BS2**

1200 x 800mm: Ref. **BS3**



EP701M/B



EP702M/Y



EP703M/G



EP704M/R

Overall Height mm	985
Deck Height mm	295
Mesh Panel Height mm	480
Deck size L x W mm	1000 x 600 1000 x 700 1200 x 800

Single End			
Weight kg	37	39	45
Clear load area	930 x 600mm	930 x 700mm	1130 x 800mm
Order Ref	EP601M	EP701M	EP801M
Double End			
Weight kg	41	44	50
Clear load area	860 x 600mm	860 x 700mm	1060 x 800mm
Order Ref	EP602M	EP702M	EP802M
3 Sided			
Weight kg	44	47	54
Clear load area	860 x 555mm	860 x 655mm	1060 x 755mm
Order Ref	EP603M	EP703M	EP803M
4 sided			
Weight kg	47	50	58
Clear load area	860 x 510mm	860 x 610mm	1060 x 710mm
Order Ref	EP604M	EP704M	EP804M

Colour Options	B	R	Y	G
----------------	---	---	---	---



Loadtek

Platform Trucks

51

Platform Trucks

Series 700 Bright Zinc Plated

Comprehensive range of bright zinc plated platform trucks from basic platform to 4 mesh sides. Choice of 3 deck sizes. Steel chassis with steel deck. Fixed ends and removable long sides, bright zinc plated mesh infill. Smart durable bright zinc plated finish.

Wheels: 2 swivel and 2 fixed castors with 200mm diameter rubber tyred roller bearing wheels with bright steel centres.

Optional extras

Total stop brakes:

Ref. **B073** (pair)



Non Marking Tyre

200mm: Ref. **B041**



Pneumatic Tyres

260mm: Ref. **B010**



N.B: B010 increases the deck height by 100mm.

Bumper strip (Factory fitted)

1000 x 600mm: Ref. **BS1**

1000 x 700mm: Ref. **BS2**

1200 x 800mm: Ref. **BS3**



ZP701T



ZP701M



ZP702M



ZP703M



ZP704M



ZP700



Max Load
700kg



Made in
Britain

Overall Height mm	985		
Deck Height mm	295		
Mesh Panel Height mm	480		
Deck size L x W mm	1000 x 600	1000 x 700	1200 x 800
Platform Only			
Ref:	ZP600	ZP700	ZP800
Weight:	35kg	38kg	45kg
Single Fixed Tube End			
Ref:	ZP601T	ZP701T	ZP801T
Weight:	38kg	41kg	49kg
Clear load area mm:	930 x 600	930 x 700	1130 x 800
Single fixed mesh End			
Ref:	ZP601M	ZP701M	ZP801M
Weight:	39kg	42kg	49kg
Clear load area mm:	930 x 600	930 x 700	1130 x 800
Double fixed mesh End			
Ref:	ZP602M	ZP702M	ZP802M
Weight:	43kg	46kg	54kg
Clear load area mm:	860 x 600	860 x 700	1060 x 800
3 Sided (1 removable)			
Ref:	ZP603M	ZP703M	ZP803M
Weight:	46kg	49kg	58kg
Clear load area mm:	860 x 555	860 x 655	1060 x 755
4 Sided (2 removable)			
Ref:	ZP604M	ZP704M	ZP804M
Weight:	49kg	52kg	62kg
Clear load area mm:	860 x 510	860 x 610	1060 x 710

